

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	353	(queue buffer) with (length size status fill) with (power energy) with (usage consumpt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:41
L2	22	(queue buffer) with (length size status fill) with (power energy) with (usage consumpt\$3) with (processor CPU DSP controller microcontroller microprocessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:42
L3	41	ARQ and (power energy) with (usage consumpt\$3) with (processor CPU DSP controller microcontroller microprocessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:47
L4	17	protocol adj2 machine and (power energy) with (usage consumpt\$3) with (processor CPU DSP controller microcontroller microprocessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:48
L5	58	protocol adj2 machine and (power energy) with (usage consumpt\$3) and (processor CPU DSP controller microcontroller microprocessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:49
L6	47	protocol with engin\$3 with r eceiv\$3 and protocol with engin\$3 with transmi\$7 and (power energy) with (usage consumpt\$3 saving )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:50
L7	77	protocol with engin\$3 with receiv\$3 and protocol with engin\$3 with transmi\$7 and (power energy) with (usage consumpt\$3 saving )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:50
L8	56	protocol near5 receiv\$3 with (queue buffer) and protocol near5 transmi\$7 with (queue buffer) and (power energy) with (usage consumpt\$3 sav\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:51
L9	70	protocol near5 receiv\$3 with (queue buffer memory) and protocol near5 transmi\$7 with (queue buffer memory) and (power energy) with (usage consumpt\$3 sav\$3) and acknowledg\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:52
L10	139	protocol with receiv\$3 with transmi\$5 with (queue buffer memory) and (power energy) near5 (usage consumpt\$3 saving ) and acknowledg\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:52
L11	25	protocol near5 receiv\$3 with (queue buffer memory) and protocol near5 transmi\$7 with (queue buffer memory) and (power energy) with (usage consumpt\$3 sav\$3) and ack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:53

## EAST Search History

L12	21951710	@ad<"20020124"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:53
L13	160	1 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:54
L14	913389	@pd>"20061020"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:54
L15	36	1 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:54
L16	2	1 and 14 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:57
L17	0	2 and 14 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:55
L18	2	3 and 14 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:58
L19	0	4 and 14 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:57
L20	0	5 and 14 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 20:57
L21	3	7 and 14 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 21:01
L22	0	8 and 14 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 21:01

## EAST Search History

L23	0	9 and 14 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 21:02
L24	2	10 and 14 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 21:03
L25	0	11 and 14 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/05 21:02